

AENOR

AENOR Product Certificate Plastics



001/006488

AENOR certifies that the organization

ZHEJIANG WEIXING NEW BUILDING MATERIALS CO., LTD.

registered office MIDDLE BAIYE ROAD - LINHAI CITY (Zhejiang Province - China)

supplies Fittings for polypropylene pipes for hot and cold water installations

in compliance with UNE-EN ISO 15874-1:2013 (EN ISO 15874-1:2013)
UNE-EN ISO 15874-3:2013 (EN ISO 15874-3:2013)

TRADEMARK VASEN

See annex for more information.

Production site MIDDLE BAIYE ROAD - LINHAI CITY (Zhejiang Province - China)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.16.

First issued on 2015-11-03

Last issued on 2020-11-03

Validity date 2025-11-03

Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR

AENOR Product Certificate Plastics

001/006488

Annex to Certificate

TRADEMARK VASEN

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Bracket flange	40 - 50 - 63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX400
Cross	20 - 25 - 32 - 40 - 50 - 63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX4000
Cross pipe	20 - 25 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX003-1
Elbow 45°	20 - 25 - 32 - 40 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX220
Elbow 90°	20 - 25 - 32 - 40 - 50 - 75 - 110	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX200
Elbow 90° female thread	20 - 25 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX202
Elbow 90° male thread	20 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX201
Elbow 90° wal female thread	20 - 25	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX202-1
End cap	20 - 25 - 32 - 40 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX500
End cap with female thread	20 - 25 - 32 - 40 - 50 - 63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX103-2
End cap with male thread	20 - 25 - 32 - 40 - 50 - 63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX103-1
Equal tee	20 - 25 - 32 - 40 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX300

First issued on 2015-11-03
Last issued on 2020-11-03
Validity date 2025-11-03

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR271

AENOR

AENOR Product Certificate Plastics

001/006488

Annex to Certificate

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Female straight	20 - 25 - 32 - 40 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX102
Female thread tee	20 - 25 - 32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX302
Hexagonal nut union	20 - 25 - 32 - 40 - 50	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX103-2
Male straight	20 - 25 - 32 - 40 - 50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX101
Male thread tee	20 - 25 - 32 - 40	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion with metallic parts	No	Polypropylene (PP-R)	WX301
Male/Female reduction	25x20 ; 32x20 ; 32x25 ; 40x20 ; 40x25 ; 40x32 ; 50x20 ; 50x25 ; 50x32 ; 50x40 ; 63x20 ; 63x25 ; 63x32 ; 63x40 ; 63x50 ; 75x63	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX120
Pipe adapter	50 - 63 - 75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX600
Reduced elbow 90°	25x20 ; 32x20 ; 32x25 ; 40x32	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX210

First issued on 2015-11-03
Last issued on 2020-11-03
Validity date 2025-11-03

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR271

AENOR

AENOR Product Certificate Plastics

001/006488

Annex to Certificate

FIGURE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	TYPE OF JOINT	OPACITY	MATERIAL	REFERENCE
Reduced tee	20x25x20 ; 25x20x20 ; 25x20x25 ; 25x25x20 ; 32x20x20 ; 32x20x25 ; 32x25x20 ; 32x25x25 ; 32x20x32 ; 32x25x32 ; 40x20x40 ; 40x32x40 ; 50x20x50 ; 50x25x50 ; 50x32x50 ; 50x40x50 ; 63x20x63 ; 63x25x63 ; 63x32x63 ; 63x40x63 ; 63x50x63 ; 75x20x75 ; 75x25x75 ; 75x32x75 ; 75x50x75 ; 75x63x75	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX310
Reduction	25x20 ; 32x20 ; 32x25 ; 40x20 ; 40x25 ; 40x32 ; 50x25 ; 50x32 ; 63x20 ; 63x25 ; 63x32 ; 63x40	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX110
Socket	20 - 25 - 32 - 40 - 50 - 63 - 75 - 110	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX100
Union	20 - 25 - 32 - 40	1/10 ; 2/8 ; 4/10 ; 5/6	Thermofusion	No	Polypropylene (PP-R)	WX103-3

First issued on 2015-11-03
Last issued on 2020-11-03
Validity date 2025-11-03

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Product certification body accredited by ENAC, number 1/C-PR271